




AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claims 1 to 42 (Canceled)

Claim 43 (Currently Amended): A method for controlling the growth of bacterial biomass in an aqueous system comprising adding to, or contacting with, the aqueous system an effective amount of an uncoupling agent which is a water-soluble biocide comprising an alkyl substituted phosphonium compound of formula (I) or an alkyl-substituted phosphine of formula (II) or a condensate of formula (III):



wherein:

X is an anion;

n is the valency of X represented by m;

each A can be the same or different and is selected from the group consisting of OH, OR, SO₃R, PO₃R₂, COOH, COOR, SO₃H, PO₃H₂, CH₂COOH, substituted alkyl, aryl and substituted amino groups;

each R, and each R in each A group, is independently selected from hydrogen, a C₁ to C₂₀ alkyl, aryl, substituted alkyl or aryl, carboxy or carboxy ester; wherein each CR₂ group may be the same or different, and

R'' is a divalent hydrocarbon radical having from 2-20 carbon atoms and is optionally substituted with one or more substituents selected from the group consisting of halogen, hydroxy, carboxy, amino, alkylamino, [[or]] and PR¹_mCH₂OH groups₁ or interrupted by one or more ether or carbonyl linkages;

each R¹ is independently a monovalent hydrocarbon radical having from 1 to 25 carbon atoms and optionally substituted with one or more substituents selected from the group consisting of halogen, hydroxy, carboxy, amino, alkylamino, [[or]] and PR¹_mCH₂OH groups₁ or interrupted by one or more ether or carbonyl linkages, and

in formula (III) each v is 1 or 2, k is from 0 to 10, x is the number of groups in the molecule having v=2 and X is a compatible anion of valency y such that the compound is water-soluble,

wherein the aqueous system is a wastewater treatment plant used for the treatment of industrial or municipal effluent₁

wherein said biocide reduces sludge growth in said aqueous system.

Claim 44 (Previously Presented): The method as claimed in claim 43, wherein X is selected from the group consisting of chloride, sulphate, phosphate, acetate and bromide.

Claim 45 (Previously Presented): The method as claimed in claim 43, wherein the alkyl-substituted phosphonium compound is tetrakis (hydroxymethyl) phosphonium sulphate.

Claim 46 (Currently Amended): The method as claimed in claim 43, wherein the alkyl-substituted phosphonium compound is selected from **[[a]]** the group consisting of tetrakis (hydroxymethyl) phosphonium chloride, tetrakis (hydroxymethyl) phosphonium bromide, tetrakis (hydroxymethyl) phosphonium acetate and tetrakis (hydroxymethyl) phosphonium phosphate.

Claim 47 (Previously Presented): The method as claimed in claim 43, wherein the condensate is a condensate of tris(hydroxyorgano)phosphine with a nitrogen containing compound.

Claim 48 (Previously Presented): The method as claimed in claim 47, wherein the nitrogen containing compound is selected from the group consisting of a C₁₋₂₀ alkylamine, dicyandiamide, thiourea and guanidine.

Claim 49 (Previously Presented): The method as claimed in claim 43, wherein the method comprises the step of contacting an effective amount of a water-soluble biocide directly with the bacterial biomass.

Claim 50 (Previously Presented): The method as claimed in claim 49, wherein the effective amount of the water-soluble biocide added to the aqueous system is up to 5000 mg/l.

Claim 51 (Previously Presented): The method as claimed in claim 49, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 0.005 mg/l to 500 mg/l.

Claim 52 (Previously Presented): The method as claimed in claim 51, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 0.01 mg/l to 300 mg/l.

Claim 53 (Previously Presented): The method as claimed in claim 52, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 0.05 mg/l to 100 mg/l.

Claim 54 (Previously Presented): The method as claimed in claim 43, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 0.1 mg to 10000mg per gram of sludge solids in the aqueous system.

Claim 55 (Previously Presented): The method as claimed in claim 54, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 0.5 mg to about 1000 mg per gram of sludge solids in the aqueous system.

Claim 56 (Previously Presented): The method as claimed in claim 43, wherein the uncoupling agent comprises a compound selected from the group consisting of quaternary ammonium compounds; polymeric quaternary ammonium compounds; polymeric biguanide hydrochlorides; tris(hydroxymethyl)nitromethane; 4,4-dimethylozazolidine; phenoxypropanol; phenoxyethanol; glyoxal; acrolein; aldehydes; triazines; quaternary phosphonium compounds; 2-bromo-4-hydroxyacetophenone; carbamates; tertbutylazine; tetrachloro-2,4,6-cyano-3-benzonitrile; thiazole and isothiazole derivatives; compounds with activated halogen groups; bis chloromethyl sulphone, and methylene bis thiocyanate.

Claim 57 (Previously Presented): The method as claimed in claim 43, wherein the water-soluble biocide is formulated with one or more of a surfactant; an antifoam; a scale inhibitor; a corrosion inhibitor; a biocide, a flocculant, a dewatering aid and a dispersant.

Claim 58 (Canceled)

Claim 59 (Previously Presented): The method as claimed in claim 49, wherein the effective amount of the water-soluble biocide added to the aqueous system is up to 1000 mg/l.

Claim 60 (Previously Presented): The method as claimed in claim 49, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 0.1 mg/l to 10 mg/l.

Claim 61 (Previously Presented): The method as claimed in claim 60, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 0.5 mg/l to 7.5 mg/l.

Claim 62 (Previously Presented): The method as claimed in claim 61, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 1mg/l to 5mg/l.

Claim 63 (Previously Presented): The method as claimed in claim 55, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 1 mg to 500mg per gram of sludge solids in the aqueous system.

Claim 64 (Previously Presented): The method as claimed in claim 63, wherein the effective amount of the water-soluble biocide added to the aqueous system is from 5mg to 100mg per gram of sludge solids in the aqueous system.

Claim 65 (Currently Amended): A method for controlling the growth of bacterial biomass in an aqueous system comprising:

adding to, or contacting with, the aqueous system an effective amount of an uncoupling agent which is a water-soluble biocide comprising an alkyl substituted phosphonium compound,

wherein the alkyl substituted phosphonium compound is selected from the group consisting of tetrakis (hydroxymethyl) phosphonium chloride, tetrakis (hydroxymethyl)

phosphonium bromide, tetrakis (hydroxymethyl) phosphonium acetate, and tetrakis (hydroxymethyl) phosphonium phosphate, and

wherein the aqueous system is a wastewater treatment plant used for the treatment of industrial or municipal effluent,

wherein said biocide reduces sludge growth in said aqueous system.